

# OUTBACK

(20)

T.

0B-8629

# **SPECIFICATIONS**

			Symmetrical AWI	D (All-Wheel Drive)			
		-	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight			
ltem		-		ct Injection	Item		
		-		rtronic			
Engine		I				Front	
				d, 4-cylinder, 4-stroke,	Track	Rear	
Туре		-		lengine	Minimum road clearance		_
D (0)				16-valve	(at kerb weight)		
Bore/Stroke		mm		× 90.0	Cargo volume* <sup>3</sup>		
Capacity		сс		498	Seating capacity		per
Compression ratio				2.0	Kerb weight		
Fuel system Fuel tank capacity		lit.		el injection 63	 Towing capacity		
Perfomance					Transmission		
Max. output (DIN)		kW (PS) / rpm	124 (169) / !	5,000 - 5,800	_	D range (Lineartronic)	
Max. torque (DIN)		Nm (kgfm) / rpm		7) / 3,800	-	1st	
Max. speed		km/h		93	-	2nd	_
Acceleration (0-100 km/h)		sec.	1	0.2	-		
	Low	lit./100 km	1	2.2		3rd	
	Medium	lit./100 km		3.1	– Gear ratio	4th	
Fuel consumption*1	High	lit./100 km		7.1	-	5th	
	Extra-High	lit./100 km	8	3.7	_	6th	
	Combined	lit./100 km	8	3.6	_	7th	
	Low	g/km	2	276		8th	
	Medium	g/km	1	83		Reverse	
CO <sub>2</sub> emissions*1	High	g/km	1	61	<ul> <li>Final drive axle ratio</li> </ul>		_
	Extra-High	g/km	1	96	- Chassis		
	Combined	g/km		93	Steering		_
External noise level*2		dB(A)		67		Front	
Drivetrain					Suspension (4-wheel independent)		
All-Wheel Drive type			Active Torque S	Split AWD system		Rear	
Dimensions & weight				070	Minimum turning circle at tyre (radius)		
Overall length Overall width		mm		870		Front	
Overall width Overall height		mm	1675	1670	Brakes	Rear	
Wheelbase		mm		745	Tyre/wheel size		
WIIEEIDdSE		nm	2	/+J			

			Symmetrical AWD (All-Wheel Drive)		
Item			2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	
			2.5L Direc	t Injection	
			Linear	tronic	
Track	Front	mm	1570		
Track	Rear	mm	1600		
Minimum road clearance (at kerb weight)		mm	213		
Cargo volume* <sup>3</sup>		lit.	1822		
Seating capacity		persons	5		
Kerb weight		kg	1643 1644		
Towing capacity		kg	20	00	

	D range (Lineartronic)	4.066 - 0.503	
	1st	4.066 (Manual mode)	
	2nd	2.628 (Manual mode)	
	3rd	1.911 (Manual mode)	
ear ratio	4th	1.490 (Manual mode)	
ear ratio	5th	1.166 (Manual mode)	
	6th	0.914 (Manual mode)	
	7th	0.717 (Manual mode)	
	8th	0.559 (Manual mode)	
	Reverse	4.379	
nal drive axle ratio		3.900	
issis			
eering		Rack and pinion, electric power steering system	
Ispension	Front	MacPherson strut type	
wheel independent)	Rear	Double wishbone type	
nimum turning circle at tyre adius)	m	5.5	
akes	Front	Ventilated disc brakes	
ares	Rear	Ventilated disc brakes	
re/wheel size		225/60R18, 18×7″J	

\*1 Fuel consumption and CO<sub>2</sub> emissions: according to EC 715/2007 - 2018/1832AP. \*2 External noise: according to EU 540/2014 - 2019/839. \*3 Measured by VDA (V214).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

# SPECIFICATIONS

			Symmetrical AWD	(All-Wheel Drive)		
ltem			2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	ltem	
			2.5L Direc	t Injection		
			Linea	rtronic		
Engine						
Туре				l, 4-cylinder, 4-stroke, engine	Track	
			DOHC	16-valve	Minimum (at kerb w	
Bore/Stroke		mm	94.0	× 90.0	Cargo vol	
Capacity		сс	24	98	Seating ca	
Compression ratio			12	2.0	– Kerb weig	
Fuel system			Direct fue	linjection		
Fuel tank capacity		lit.	6	3	Towing ca	
Perfomance					Transmissio	
Max. output (DIN)		kW (PS) /rpm	124 (169) / 5	,000 - 5,800		
Max. torque (DIN)		Nm (kgfm) /rpm	252 (25.2	7)/3,800	_	
Max. speed		km/h	19	73		
Acceleration (0-100 km/h)		sec.	10	).2		
	Low	lit./100 km	12	2.2		
	Medium	lit./100 km	8	.1	Gear ratio	
Fuel consumption*1	High	lit./100 km	7	.1		
	Extra-High	lit./100 km	8	.7		
	Combined	lit./100 km	8	.6		
	Low	g/km	2	76		
	Medium	g/km	18	83	-	
CO <sub>2</sub> emissions*1	High	g/km	1	61	Final drive	
	Extra-High	g/km	11	96	- Chassis	
	Combined	g/km	19	93		
External noise level*2	Ċ	dB(A)	6	7	Steering	
Drivetrain					Suspensic (4-wheel i	
All-Wheel Drive type			Active Torque S	plit AWD system		
Dimensions & weight				20	Minimum (radius)	
Overall length		mm		370		
Overall width		mm		75	Brakes	
Overall height		mm	1670	1675	Turne (u. l	
Wheelbase		mm	27	45	Tyre/whee	

			Symmetrical AWD	(All-Wheel Drive)	
Item			2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	
			2.5L Direc	t Injection	
			Linear	tronic	
Track	Front	mm	15	70	
ITACK	Rear	mm	16	00	
Minimum road clearance (at kerb weight)		mm	213		
Cargo volume* <sup>3</sup>		lit.	lit. 1750		
Seating capacity		persons	5	5	
Kerb weight		kg	1665	1666	
Towing capacity		kg	2000		
Transmission					
	D range (Lineartronic)		4.066 -	- 0.503	
	1st		4.066 (Mar	ual mode)	
	2nd		2.628 (Mar	ual mode)	
	3rd 1.911 (Manual mode)		ual mode)		
<b>0</b>	4th		1.490 (Mar	ual mode)	
Gear ratio	5.1				

1.166 (Manual mode)

0.914 (Manual mode)

0.717 (Manual mode)

0.559 (Manual mode)

4.379

Final drive axle ratio		3.900
Chassis		
Steering		Rack and pinion, electric power steering system
Suspension	Front	MacPherson strut type
(4-wheel independent)	Rear	Double wishbone type
Minimum turning circle at tyre (radius)	m	5.5
Brakes	Front	Ventilated disc brakes
Brakes	Rear	Ventilated disc brakes
Tyre/wheel size		225/60R18, 18×7"J

5th

6th

7th

8th

Reverse

\*1 Fuel consumption and CO<sub>2</sub> emissions: according to EC 715/2007 - 2018/1832AP. \*2 External noise: according to EU 540/2014 - 2019/839. \*3 Measured by VDA (V214).

Vehicle kerb weight varies according to the types of optional equipment included. Specification data and model lineup may vary according to market.

# STANDARD AND OPTIONAL FEATURES

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
		2.5L Direc	t Injection	
Exterior				
LED Headlamps with Auto-leveliser	•	•	•	•
LED Front Fog Lamps	•	•	•	•
LED Rear Combination Lamps	•	•	•	•
LED Rear Fog Lamp	•	•	•	•
Power-folding Door Mirrors	•	•	-	-
Key-linked Folding Door Mirrors	-	-	•	•
UV Protection Glass: Front Side Windows	•	•	•	•
Privacy Glass for Rear Side Windows, Rear Quarters, and Rear Window	•	•	•	•
18-inch Aluminium-alloy Wheels (dark gray)	•	-	-	-
18-inch Aluminium-alloy Wheels (dark metallic)	-	•	•	-
18-inch Aluminium-alloy Wheels (machined)	-	-	-	•
High Gloss Black Front and Rear Bumper Guards	-	•	٠	-
Silver-plated Front and Rear Underguards	•	-	-	•
Side Claddings	●* <sup>1</sup>	●* <sup>2</sup>	•* <sup>2</sup>	●* <sup>1</sup>
Power-sliding, Tilt-adjustable Glass Sunroof	-	-	•	•
Roof Rails	-	•	•	-
Cross Bar Roof Rails	•	-	-	•
Roof Spoiler	•	٠	-	•
Roof Spoiler (crystal black)	-	-	•	-
Rear Garnish	•	٠	-	•
Rear Garnish (crystal black)	-	-	•	-
Shark Fin Antenna	•	●* <sup>3</sup>	●* <sup>3</sup>	•

### Standard on all models:

Auto On/Off Headlamps 
 • Pop-up Type Headlamp Washers 
 • Variable Intermittent Windshield Wipers
 • Automatic Rain-sensing Windshield Wipers 
 • Intermittent Rear Window Wiper

Seating / Trims				
Leather-wrapped Steering Wheel with Silver Stitching	•	•	-	-
Smooth Leather-wrapped Steering Wheel with Silver Stitching	_	_	•	•
Leather-wrapped Gearshift Knob	•	•	•	•
Heated Steering Wheel	•	•	•	•
Fabric Seats	•	-	-	-
Polyurethane Seats	-	•	-	-
Nappa Leather Seats	Option	-	٠	•
Front Seat Heaters	•	•	٠	•
Rear Seat Heaters	•	•	•	•
10-way Power-adjustable Driver's Seat with Lumbar Support	•	•	•	•

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight	
	2.5L Direct Injection				
Driver's Memory Seat-linked Door Mirrors with Reverse Auto-tilt	-	-	•	•	
Driver's Seat with Length-adjustable Seat Cushion	•	٠	•	•	
8-way Power-adjustable Front Passenger's Seat	•	•	•	•	
60/40-split Folding Rear Seatbacks	•	•	•	•	
Reclining Rear Seatbacks	•	•	•	•	
One-touch Folding Rear Seatbacks	•	•	•	•	
Adjustable Front Headrests	•	•	•	•	
Divided Seatback Pockets (behind both front seats)	•	•	•	•	
Comfort / Convenience					
Keyless Access with Push-button Start System	•	•	•	•	
PIN Code Access	•	•	•	•	
Centre Console Side Pocket (passenger's side)	•	•	•	•	
Passenger-side Front Tray	•	•	•	•	
Two 12-volt Power Outlets (in glove box and luggage space)	•	•	•	•	
Hands-free Power Rear Gate	Option	Option	•	•	
Cargo Hooks (x4)	•	-	-	-	
Cargo Hooks (x8)	-	•	•	•	
Lifting and Retractable Cargo-area Cover	•	•	•	•	
Storage Box (under cargo floor)	•	•	•	•	
Tyre Repair Kit	•	•	•	•	

### Standard on all models:

Power Windows<sup>\*4</sup> • Welcome Lighting • One-touch Lane Change Signal • Map Lights • Cargo Light Courtesy Door Lights (front) • Vanity Mirror with Cover and Lights (driver and front passenger)
Centre Console Ambient Lighting • Overhead Console Box • Centre Console Box
2 Front Cup Holders (in centre console) • Door Pockets with Bottle Holders (on all side doors)
Rear Seat Centre Armrest with 2 Cup Holders

## Climate Control

Chinate Control				
Dual-zone Automatic Air-conditioning System	•	•	•	•
Voice-controlled Air-conditioning	•	•	•	•
Heated Door Mirrors	•	•	•	•

### Standard on all models:

Rear Ventilation System
 Windshield Wiper De-icer
 Electric Rear Window Defogger with Timer

Entertainment				
11.6-inch Full HD Display Audio System with 6 Speakers	•	•	•	•
11.6-inch Full HD Display Audio System with Navigation and 6 Speakers	Option	Option	_	Option
11.6-inch Full HD Display Premium Audio System with Navigation, 11 Harman/Kardon Speakers + Subwoofer + 8 Channel Amplifier	-	-	Option	Option
Apple CarPlay* <sup>5</sup> / Android Auto* <sup>6</sup> Infotainment System* <sup>7</sup>	•	•	•	•

# STANDARD AND OPTIONAL FEATURES

Item	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight
		2.5L Direc	t Injection	
PIN Code Lock	•	•	•	•
Steering Wheel-mounted Audio Remote Control Switches	•	•	•	•
Voice Recognition System	•	٠	•	•
Bluetooth®*8 Audio Streaming and Hands-free Phone Connectivity	•	•	•	•
USB Ports (Type-A and C) and Auxiliary Audio Input Jack (in centre panel)	•	•	•	•
USB Type-A and C Power Ports behind Centre Console Box	•	•	•	•
Control / Instruments				
Dual-gauge Layout with Full-colour LCD Meter Display	•	•	•	•
Tilt-adjustable / Telescopic Steering Wheel	•	•	٠	•
Paddle Shifters	•	•	•	•
Cruise Control	•	•	•	•
Aluminium Pedals	-	•	•	•
Drivability				
SI-DRIVE (SUBARU Intelligent Drive)* <sup>9</sup>	•	•	•	•
Dual-function X-MODE	•	•	•	•
Hill Descent Control	•	•	•	•
Auto Vehicle Hold	•	•	•	•
Active Torque Vectoring	•	•	•	•
Vehicle Dynamics Control System	•	•	•	•

Standard	on	all	models:	

• Auto Start Stop • Electronic Parking Brake

EyeSight				
Pre-Collision Braking System	•	•	•	•
Autonomous Emergency Steering	•	•	•	•
Adaptive Cruise Control	•	•	•	•
Lane Centring Control and Preceding Vehicle Adaptive Steering Control	•	•	•	•
Lane Departure Prevention*10	•	•	•	•
Emergency Lane Keep Assist	•	•	•	•
Pre-Collision Throttle Management	•	•	•	•
Lead Vehicle Start Alert	•	•	•	•
Traffic Sign Recognition	•	•	•	•
Intelligent Speed Limiter	•	•	•	•
Manual Speed Limiter	•	•	•	•
Vibrating Steering Wheel*11	•	•	•	•
EyeSight Assist Monitor	•	•	•	•

ltem	2.5i-LIMITED EyeSight	2.5i-FIELD EyeSight	2.5i-GEYSER EyeSight	2.5i-TOURING EyeSight		
	2.5L Direct Injection					
Safety						
Front SRS <sup>*12</sup> Airbags	•	•	•	•		
Front Side SRS* <sup>12</sup> Airbags (driver and front passenger)	•	٠	•	•		
Curtain SRS <sup>*12</sup> Airbags (front and rear, both sides)	•	٠	•	•		
Knee SRS*12 Airbag (driver)	•	٠	•	•		
Seat Cushion SRS* <sup>12</sup> Airbag (front passenger)	•	٠	•	•		
Steering Responsive Headlights (SRH)	•	٠	•	•		
Adaptive Driving Beam (ADB)	•	٠	•	•		
Subaru Rear Vehicle Detection (SRVD)	•	٠	•	•		
Reverse Automatic Braking (RAB)	•	٠	•	•		
Multi View Monitor	-	-	•	•		
Rear View Camera	•	•	•	•		
Driver Monitoring System	•	٠	•	•		
eCall (emergency call system)*13	•	٠	•	•		

Standard on all models:

• Seatbelt Indicator • Height-adjustable Seatbelt Anchors (driver and front passenger)

• Locking-tongue Front Seatbelts with Pretensioners and Load Limiters

• Rear 3-point Seatbelts for 3 Seating Positions • 4-wheel Antilock Braking System (ABS) • Brake Assist System

Brake Override 
 Post-Collision Brake Control 
 ISO-FIX Adapted Child Seat Anchors (with tether anchors)

• Rear Seat Reminder • Child-proof Rear Door Locks (both sides) • Engine Immobiliser

\*1 Silver Outback logo.

\*2 Green Outback logo.

\*3 FIELD and GEYSER models come with a crystal black antenna.

\*4 Front side and rear side windows have auto up/down function with pinch protection.

\*5 Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries.

\*6 Android and Android Auto are trademarks of Google Inc.

- \*7 Apple CarPlay and/or Android Auto may not be available for all models and regions.
- \*8 Bluetooth is a registered trademark of Bluetooth SIG, Inc. America.
- \*9 Available with 2-mode SI-DRIVE (Intelligent Mode, Sport Mode).

\*10 Helps prevent unintended road departure, even on roads without lane markings. By recognising boundaries outside the road such as grass, it can assist with steering operation to keep your vehicle in the lane.

\*11 Can deactivate vibration and switch to audible alarm via 11.6-inch touchscreen display.

\*12 SRS: Supplemental Restraint System. Effective when used in conjunction with seatbelts.

\*13 eCall for this vehicle cannot be used in areas where 2G networks are unavailable.

Standard and optional features, model lineup may vary according to market. Please contact your local authorised Subaru retailer for more details.

SUBARU CORPORATION 24SS BGEC 2023.10